

Be the Envy of Your

· Cati



600X1200 MM

About Us

ULTIMATE QUALITY TIMELESS DESIGN.

Notto Granito LLP is a leading manufacturer of Ceramic Tiles at the Tiles Manufacturing hub of India. Notto Granito appeared with a reasonable vision to become a worldwide leader in the industry for two decades, our modern gathering has developed significantly into an across-the-country aggregate assembling quality artistic, GVT / PGVT.

We know how to advance with the changing needs of the ceramic industry. From decorative material, and tiles to calm and appealing floor tiles. Notto Granito LLP is a famous brand for tile makers, and tiles exporters and is resolved to give brilliant ceramic tiles, GVT / PGVT. We convey quality work, on time, inside a spending plan—inevitably. Additionally, we stay on assignment for any development.

www.nottogranito.com



Size : 600X12<u>00 MM</u>

Finish : GLOSSY Thickness : **9.0**mm (approx.)

Glossy finish tiles have a stunning sheen. Their reflective surface bounces light all around the space, making the room seem bigger and brighter.





DOUBLE CHARGE SERIES

FEATURES



PERFECTLY FLAT



RESISTANT TO CHEMICALS



Ļ ↑







BENDING STRENGTH



EASY TO



LIGHT WEIGHT



RESISTANT TO TRAFFIC & WEAR

APPLICATION



AIRPORTS



HOMES



HOTELS



SHOPS



RESTAURANTS





RETAIL MALLS




KITCHENS AND BATH ROOM

MUSEUMS









AMAZON GOLD















AMAZON WHITE












CRESTONA WHITE



Finish Glossy







CRETA FERRY















DRAGON GOLD














DRAGON WHITE




Finish Glossy









PERL BIANCO













PERL FOSSIL














PERL GRAPHITE















PERL MARFIL












PERL WHITE






DC LIGHT







STORMY MARFIL















STORMY ROJO














STORMY WHITE





TECHNICAL SPECIFICATION

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	As per square
Water absorption	≤ 3 %	≤ 3 %
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min.7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

PACKING DETAIL

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	9.0 mm (Approx.)	2 pcs.	1.44 sq. mtr.	28 kgs.



Notto Granito LLP.

Jetpar Pipali Road, Nr. Bela Village , At , Rangpar Morbi - 363642

www.nottogranito.com | info@nottogranito.com