



Notto
Future Surface

DECOR
SERIES

|

600x1200 MM

About Us


AMAZE THE UNEXPLORED DESIGNER ADVENTURE.

Notto Granito brings to you premium ceramic tiles that are detailed with perfection. Each tile is made using state of the art technology making them strong, durable & easy to maintain.

The Indian consumers' rapidly growing appetite for style and aesthetics is the inspiration behind every design of Notto Granito and its pace to keep up with the customer and market demands have made Notto Granito a synonym for quality, service, and innovation - not only in the domestic market but in the international market too.



www.nottogranito.com



PRODUCT FORMAT

Size :

600X1200 MM

Finish :
GLOSSY

Thickness :
9.0mm (approx.)



Decor tiles are made to fit your needs and reflect your personal style. Our Decor tiles collection includes a variety of designs that you can use to decorate your spaces in your own unique style.



Notto
Future Surface





AMALGAMATION
OF CLASSIC DETAILS &

PATTERNS

Unfurls eclectic & intricate patterns of cultural legacy in your spaces with surfaces inspired by the rich cultural heritage of Notto.

DECOR
SERIES



The stunning design and texture

TRUE WORK OF ART!

into the world of exquisiteness and
charisma that bespoke urban elegance.

APPLICATION



AIRPORTS



HOTELS



SHOPS



KITCHENS AND
BATH ROOM



HOMES



RESTAURANTS



RETAIL MALLS



MUSEUMS

Greet a complete home solution product range with us.

One of the most popular practices for modern-day homes is to extend the flooring of the Living room to the kitchen.

A well designed Matt finish tiles that will perfectly complement your trendy space.

FEATURES



PERFECTLY
FLAT



EASY TO
CLEAN



HYGIENIC



LIGHT WEIGHT



RESISTANT TO
CHEMICALS



BENDING STRENGTH



EASY TO
INSTALL



RESISTANT TO
TRAFFIC & WEAR

The parameter used for slip resistance is called the Coefficient of Friction (COF). The higher the COF, the better the slip resistance of the tiles. Unglazed tiles, mosaic tiles (with many grout joints) and rough surfaced tiles are less slippery when compared with smooth and HIGH GLOSSY glazed tiles.


Therefore, these tiles are more slip resistant and are recommended to be used in industrial, kitchen, bathroom floor and swimming pool areas.




FLEXA LIGHT



FLEXA LIGHT HL



FLEXA HL



FLEXA GRIS





DESIGN

FLEXA


SIZE
600x1200mm

SURFACE
GLOSSY





GALEN WHITE




GALEN HL

DESIGN

GALEN

SIZE
600x1200mm

SURFACE
GLOSSY





GLIMAR WHITE




GLIMAR HL


DESIGN

GLIMAR

SIZE
600x1200mm

SURFACE
GLOSSY






GOLF HL

DESIGN

GOLF

SIZE
600x1200mm

SURFACE
GLOSSY






KEMTON LIGHT



KEMTON HL



KEMTON GREY





DESIGN

KEMTON

SIZE
600x1200mm

SURFACE
GLOSSY





KYOTO LIGHT




KYOTO HL-1



KYOTO HL-2



KYOTO DARK




DESIGN

KYOTO

SIZE
600x1200mm

SURFACE
GLOSSY



LONDON GREY




LONDON HL

DESIGN

LONDON

SIZE
600x1200mm

SURFACE
GLOSSY





MALKOSH CREMA



MALKOSH HL-1



MALKOSH HL-2



MALKOSH BROWN



DESIGN

MALKOSH

SIZE
600x1200mm

SURFACE
GLOSSY





MARVEL IVORY



MARVEL HL




MARVEL BROWN

DESIGN

MARVEL


SIZE
600x1200mm

SURFACE
GLOSSY





MAXX ASH GREY




MAXX HL

DESIGN

MAXX

SIZE
600x1200mm

SURFACE
GLOSSY





OWISSA BIANCO



OWISSA HL



OWISSA GREY

DESIGN

OWISSA

SIZE
600x1200mm

SURFACE
GLOSSY





POSTANO BEIGE



POSTANA HL

DESIGN

POSTANO

SIZE
600x1200mm

SURFACE
GLOSSY






REVENTO BIANCO



REVENTO HL



REVENTO GREY




DESIGN

REVENTO

SIZE
600x1200mm

SURFACE
GLOSSY





SKADI WHITE




SKADI HL


DESIGN

SKADI

SIZE
600x1200mm

SURFACE
GLOSSY





TORIC BEIGE



TORIC HL



TORIC BROWN

DESIGN

TORIC

SIZE
600x1200mm

SURFACE
GLOSSY



TECHNICAL SPECIFICATION

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP B1B	MEAN VALUE
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	As per square
Water absorption	≤ 3 %	≤ 3 %
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min. 7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

Notto
Future Surface

PACKING DETAIL

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	9.0 mm (Approx.)	2 pcs.	1.44 sq. mtr.	28 kgs.



Notto Granito LLP.

Jetpar Pipali Road, Nr. Bela Village ,
At , Rangpar Morbi - 363642

www.nottogranito.com | info@nottogranito.com