



600X1200 MM

ULTIMATE QUALITY TIMELESS DESIGN.

Notto Granito LLP is a leading manufacturer of Ceramic Tiles at the Tiles Manufacturing hub of India. Notto Granito appeared with a reasonable vision to become a worldwide leader in the industry for two decades, our modern gathering has developed significantly into an across-the-country aggregate assembling quality artistic, GVT / PGVT, and GN Marble Tiles.

We know how to advance with the changing needs of the ceramic industry. From decorative material, and tiles to calm and appealing floor tiles. Notto Granito LLP is a famous brand for tile makers, and tiles exporters and is resolved to give brilliant ceramic tiles, GVT / PGVT, and GN Marble Tiles. We convey quality work, on time, inside a spending plan—inevitably. Additionally, we stay on assignment for any development.

www.nottogranito.com

PRODUCT FORMAT

Size:

600X1200 MM

Finish: Thickness:

CARVING 9.0mm (approx.)





DESIGNED TO CREATE A POWERFUL AND LONG-LASTING IMPRESSION.

APPLICATION

















FEATURES



































CROSS WALNUT

SIZE 600x 1200mm









CROSS WHITEMIST

5IZE 600x 1200mm









CROSS WOOD BEIGE

5IZE 600x 1200mm


















CROSS WOOD GREY

600x 1200mm




































OAK WOOD GREY

SIZE 600x 1200mm









OAK WOOD SILVER

SIZE 600x 1200mm

TECHNICAL SPECIFICATION

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	As per square
Water absorption	≤ 3 %	≤ 3 %
Modulus of rupture	Min. 35 N/mm²	Min. 35 N/mm²
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min.7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

PACKING DETAIL

Size		Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	Ç	7.0 mm (Approx.)	2 pcs.	1.44 sq. mtr.	28 kgs.



Notto Granito LLP.

Jetpar Pipali Road, Nr. Bela Village , At , Rangpar Morbi - 363642

www.nottogranito.com | info@nottogranito.com